

Empowering Engineering Organizations with Deep Learning: Applications to a faster transition towards electrification for Automotive OEMs and Suppliers - Heat Exchanger optimization

Pierre Baqué, Lorenz Frey – *Neural Concept, Switzerland*

Frontloading simulation with Deep Learning

To tackle new challenges, engineers need radically new capabilities, including more effective ways to harness our computational resources.

Because of their historical origin, simulation tools are not well adapted to design optimization in fast-paced production and design environments. It is extremely hard for design teams to leverage insights provided by advanced simulations and by the specialized teams who develop them. Deep Learning technologies can be used to integrate knowledge from simulation and design optimization tools in the workflow of the design engineers, instead of delegating this task to separate expert teams. Since the great engineering feats of our times are the result of a fragile network of interactions between hundreds of engineering teams, removing the friction introduced by simulations and lengthy back-and-forth exchanges dramatically improves the dynamics of large-scale engineering design.

Even in the hands of experts, traditional design tools do not deliver much in the way of radical innovation. They are typically used either to choose optimal configurations given a few predefined tunable parameters or to make minor local adjustments to manually-built designs. This is a far cry from making major design decisions and guiding engineers towards bold new ideas.

Solving this limitation requires making computer-driven exploration the central paradigm of engineering design processes, to broaden the scope of explored design. Deep Learning will be the cornerstone of this transformation.

In this talk, we explain how recent algorithms based on Geometric Deep Learning, allow shortcutting any simulation chain through a predictive model that outputs post processed simulation results and optimization suggestions, right from the CAD design. These models are being used in engineering companies to simplify processes and to emulate the expertise of simulation engineers in the hands of product or design engineers early in the development process. Thus, the number of iterations between teams are reduced while accelerating the design activities.

These new capabilities are being adopted by a growing number of leading players, especially in the Automotive industry, who have achieved:

- 2x reduction of lead time to deliver new vehicle or parts programs
- Product performance improvement resulting in 50% more successes in tender processes.

Geometric Convolutional Neural Networks

With traditional approaches, the models are trained on a specific parametric representation of the design space. Thus, any modification in the design space or in the boundary conditions will require generating a new dataset of simulations and training an independent model. In many industries, including automotive and aerospace sectors, each project involves many changes in the description of the parametric space or in the external conditions. Moreover, most engineering teams work on improving or redesigning variants of the same class of devices. Either way, the necessity to generate a completely new dataset at each iteration, without being able to leverage simulations collected during previous iterations, is underwhelming for the engineer.

Furthermore, Geometric Convolutional Neural Networks can be used to build surrogate models of numerical solvers, like other learning-based methods, while also being agnostic to the shape parameters as it directly processes the mesh representation of the design. Hence, a single predictor can be trained with a large amount of data and can be used for numerous optimization tasks and the engineer does not have to choose and stick to a specific parametrization from the beginning to the end of experiments. Furthermore, it can leverage on transfer learning abilities of Deep models to blend simulations from multiple sources and with multiple fidelities.

Geometric Neural Networks can also provide more decisive accuracy gains by learning based on multiple data outputs and using the correlations between quantities to obtain the best result. Secondly, the convolutions used in Geometric Neural Networks are particularly suited to the accurate prediction of complex local field quantities, such as deformation, temperature, or pressure. Moreover, using the physical space as a reference for learning makes it possible to exploit any raw, unprocessed data source for training a model. Therefore, one can exploit an existing base of simulations or reuse data across design iterations, across projects or across multiple teams. This is a key enabler to improve performance of approximation models, while generating an order of magnitude fewer simulations in the long term. This new approach is breaking silos between projects to allow a unified model to be built and used once and for all.

Therefore, new methods are creating a conceptual merge and closing the gap between Kriging-type of techniques and Adjoint-based methods - or topology optimization - on the other hand.

Deployment on HPC systems

Practical solutions are already available for teams who want to access such tools. For instance, Neural Concept Shape (NCS) is a software platform that allows engineers, at all levels of expertise, to implement the latest Deep Learning based engineering practices into their development processes. Using Neural Networks, simulation engineers and the design engineers can collaborate more efficiently and save costly iterations between teams.

Since NCS exploits directly the results of traditional simulations, the integration of HPC clusters with Kubernetes distributed training on multiple GPUs and the efficient exchange of large volumes of data is a force-multiplier for AI. Therefore, NCS has been built to leverage the flexibility and power of cloud HPC

services (such as Microsoft Azure) that provide seamless integration with large volumes of simulation results, access to heterogeneous computing platforms and the ability to deploy trained models in a secure environment for remote engineering and design teams working in different locations. In short, the association of GCNNs with cloud-based HPC is breaking a new barrier in terms of possibilities, performance and convenience for deploying AI-based design optimization at large organizations and provides significant reduction of design times thanks to high performance in simulation, training and inference.

Heat Exchanger Application Case


To illustrate the practical capabilities of Deep Learning, we use an example in Heat Exchanger design applications. Heat Exchanger design and optimization is a critical topic with the electrification of vehicles, and more specifically for battery cooling applications, but also for other electronic components inside the vehicle. It is a major driver in the vehicle efficiency and its durability. Hence, a well established and efficient design process is a key competitive advantage within the automotive industry.

Heat Exchanger design is a complex task: the engineer has to make a lot of important design decisions to select the right concept (fins/pins heat exchanger, plate with dimples, channel structure...). Most of these decisions are based on best practices and rely on the experience of the team in charge of the development of the product. Moreover, within a single heat exchanger concept, the design freedom is significant, and small design changes could lead to drastic performance variations. Most of the time, the engineers and design teams can only afford to explore a few variations from a given concept, due to the complexity of the CAD/CFD workflow.

We conducted a study using Heat Exchanger internal CFD simulations where we show how the AI model is able to run a non-parametric optimization, leading to drastic performance improvements compared to a standard parametric study. Moreover, the predictive model can be made accessible to the design team through a simplified graphical interface. Ultimately, this leads to shorter lead times, especially critical for the RFQ phase in the automotive industry, together with better product performances.

In this application, we started by generating an initial dataset of 100 designs using a DoE campaign with multiple different parametrizations and design concepts (10 parametrization x 10 designs). All were simulated with Ansys Fluent. The simulation results were fed into NCS platform, which was able to automatically generate a new design space, encompassing the seen geometries. A predictive model was also trained using these initially explored designs.

Using the trained predictive model, the algorithm was able to start optimizing the geometries and create new design candidates. 20 candidates, were, in turn automatically simulated in fluent, used to validate the accuracy of the model and to refine it. This process is called an "iteration". In this specific implementation, 10 iterations were used in order to converge to a final optima design candidate.



Left figure: 98% correlation between Ansys simulations (3h) and NCS prediction (1s) in terms of pressure drop.
Right figure: One of the optimized geometries and visualization of the predicted flow.